

Vinnum


Ostrop

Bohnenthal

Kluse

D a h l

Auferkamp



14

15

Kadaverbehälter

Waschplatz mit Rücklauf in Kanal

Entnahme

BE 3 2 Futtersilos DN 6.24 m
je 350 cbm, H = 12.58 m

vorh. Silo DN 3.0 m
60 cbm, h= 9.00 m

Flüssiggastank 4.8 cbm

Weg

Zufahrt

BE 1

± 0.00

12.3 Grad

BE 2

41.62

30.53⁵

33.50


Flur 31

98


54.40 m ü. NN

39

vo




Süd — Ansicht




Ost — Ansicht

Silo-Type	Nenn- $\varnothing$ D (m)
200	1,78
300	2,67
400	3,56
500	4,46
600	5,35
700	6,24
800	7,13
900	8,02
1000	8,91
1100	9,80
1200	10,70
1300	11,59
1400	12,48
1500	13,34
1600	14,26
1700	15,15
1800	16,04
2000	17,82
2200	19,60
2400	21,39



Anzahl der Ringe	Höhe H (m)
35	29,40
34	28,56
33	27,73
32	26,89
31	26,05
30	25,21
29	24,37
28	23,54
27	22,70
26	21,86
25	21,02
24	20,18
23	19,35
22	18,51
21	17,67
20	16,83
19	15,99
18	15,16
17	14,32
16	13,48
15	12,64
14	11,80
13	10,97
12	10,13
11	9,29
10	8,45
9	7,61
8	6,78
7	5,94
6	5,10
5	4,26
4	3,42
3	2,59
2	1,75
1	0,91



Länge der Wandbleche: L = 2,80 m (netto)

Anzahl der Wandbleche pro Ring: n Bl. = $\frac{\text{Silotyp}}{100}$

Nutzfläche je Silo

$6,24 \times 6,24 \times 3,14 \times 0,25 = 30,56 \text{ qm}$

Neubau von 2 Futtersilos
 Bauherr: Werner Diekerhoff
 Im Berg 14 a
 59399 Olfen

Datum: 20.06.2007

Planung

Franz-Josef Fleck

Dipl.-Ing.

Dinkelberg 23

48599 GRONAU / EPE

Telefon 0 25 65 / 9 74 54

FAX 0 25 65 10 74 55